



Cast Aluminum
Watt Motors

Supco®

THE RIGHT CHOICE

Cast Iron
Watt Motors



SUPCO unit bearing motors are manufactured with the highest quality components. They are manufactured and tested to meet our high standards and specifications. SUPCO always strives to supply excellent quality products at an economic price.

When your customer demands a high quality motor at a competitive price...
SUPCO Motors will fulfill that need.



FEATURES & BENEFITS

Unit Bearing Watt Motors

For commercial and domestic refrigeration equipment, room and hood ventilators, room heaters, evaporative coolers and various other equipment.



- Cast aluminum housing up to 16 Watts
- Cast iron housing for 35 to 50 Watts
- Single speed, 1550 rpm
- Single rotation
- Rotation is determined by viewing opposite shaft end (OSE)
- 120 VAC or 230 VAC
- 50/60 Hz
- Totally enclosed
- Overload protected
- Permanent lubrication
- Sleeve bearings
- Universal mounting
- Threaded mounting holes
- Hardware included
- UL[®] approved

Specifications

Aluminum Unit Bearing



PART NO.	WATTS	VOLTS	AMPS	ROTATION	SHAFT DIAM.	SHAFT LENGTH
SM5109	2	120	0.28	CWOSE	1/4" Threaded	1/2"
SM5211	4	120	0.36	CWOSE	1/4" Threaded	1/2"
SM5212	4	120	0.32	CCWOSE	1/4" Threaded	1/2"
SM5221	4	230	0.16	CWOSE	1/4" Threaded	1/2"
SM5222	4	230	0.16	CCWOSE	1/4" Threaded	1/2"
SM5311	6	120	0.52	CWOSE	1/4" Threaded	1/2"
SM5312	6	120	0.43	CCWOSE	1/4" Threaded	1/2"
SM5411	9	120	0.6	CWOSE	1/4" Threaded	1/2"
SM5412	9	120	0.64	CCWOSE	1/4" Threaded	1/2"
SM5421	9	230	0.32	CWOSE	1/4" Threaded	1/2"
SM5422	9	230	0.32	CCWOSE	1/4" Threaded	1/2"
SM5811	16	115	0.92	CWOSE	1/4" Threaded	1/2"
SM5812	16	115	0.92	CCWOSE	1/4" Threaded	1/2"
SM5821	16	230	0.48	CWOSE	1/4" Threaded	1/2"
SM5822	16	230	0.48	CCWOSE	1/4" Threaded	1/2"

Cast Iron Unit Bearing



PART NO.	WATTS	VOLTS	AMPS	ROTATION	SHAFT DIAM.	SHAFT LENGTH
SM351	35	120	1.4	CWOSE	1/4" Threaded	1/2"
SM352	35	120	1.4	CCWOSE	1/4" Threaded	1/2"
SM353	35	230	0.7	CWOSE	1/4" Threaded	1/2"
SM354	35	230	0.7	CCWOSE	1/4" Threaded	1/2"
SM501	50	120	1.7	CWOSE	3/8" Smooth Flatted	1/2"
SM502	50	120	1.7	CCWOSE	3/8" Smooth Flatted	1/2"
SM503	50	230	0.85	CWOSE	3/8" Smooth Flatted	1/2"
SM504	50	230	0.85	CCWOSE	3/8" Smooth Flatted	1/2"



Sealed Unit Parts Co., Inc.
PO Box 21, 2230 Landmark Place, Allenwood, NJ 08720 USA
Phone: 732-223-6644 ● Fax: 732-223-1617
www.supco.com ● info@supco.com